

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Vesser-----	55	Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Slope Depth to saturated zone	0.50 0.39
Colo-----	30	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
23C: Arispe-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
23C2: Arispe-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
51: Vesser-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Depth to saturated zone	0.60 0.39
56B: Cantril-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
58E: Douds-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
58F: Douds-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
65E: Lindley-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65E2: Lindley-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65F: Lindley-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65G: Lindley-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
75: Givin-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15
75B: Givin-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
76B: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
76C: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
76C2: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
76D2: Ladoga-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
80B: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
80C: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
80C2: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
80D: Clinton-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
80D2: Clinton-----	90	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
88: Nevin-----	90	Not limited		Not limited		Not limited	
110B: Lamont-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
110C: Lamont-----	90	Not limited		Not limited		Very limited Slope	1.00
122: Sperry-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
130: Belinda-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
131B: Pershing-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
131C: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
132B: Weller-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
132C: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
133: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133+: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
133B: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding Slope	1.00 0.60 0.50
154E: Ainsworth-----	50	Somewhat limited Slope Restricted permeability	0.96 0.15	Somewhat limited Slope Restricted permeability	0.96 0.15	Very limited Slope Restricted permeability	1.00 0.15
Lamont-----	30	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
163B: Fayette-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
163C2: Fayette-----	90	Not limited		Not limited		Very limited Slope	1.00
173: Hoopeston-----	90	Somewhat limited		Somewhat limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
175: Dickinson-----	90	Not limited		Not limited		Not limited	
179E: Gara-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179E2: Gara-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
180: Keomah-----	90	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60
180B: Keomah-----	90	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.50
192D2: Adair-----	95	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone Gravel content	0.39 0.06
208: Klum-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
211: Edina-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
220: Nodaway-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
222C: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	1.00
222C2: Clarinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	1.00
223C2: Rinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
						Slope	1.00
223D2: Rinda-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
260: Beckwith-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
263: Okaw-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
263B: Okaw-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Slope	1.00 1.00 0.50
264B: Ainsworth-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
264C2: Ainsworth-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope Restricted permeability	1.00 0.15
279: Taintor-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
280: Mahaska-----	85	Not limited		Not limited		Not limited	
280B: Mahaska-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
281B: Otley-----	95	Not limited		Not limited		Somewhat limited Slope	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
281C: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00
281C2: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00
293B: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
Lamont-----	35	Not limited		Not limited		Somewhat limited Slope	0.50
Fayette-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
293C: Chelsea-----	35	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
Lamont-----	35	Not limited		Not limited		Very limited Slope	1.00
Fayette-----	30	Not limited		Not limited		Very limited Slope	1.00
293E: Chelsea-----	35	Somewhat limited Slope Too sandy	0.96 0.95	Somewhat limited Slope Too sandy	0.96 0.95	Very limited Slope Too sandy	1.00 0.95
Lamont-----	35	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Fayette-----	30	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
293F: Chelsea-----	35	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
Lamont-----	35	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
Fayette-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
315: Klum-----	40	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.01
Perks-----	30	Very limited Flooding Too sandy	1.00 0.87	Somewhat limited Too sandy Flooding	0.87 0.40	Very limited Flooding Too sandy Slope	1.00 0.87 0.01
Nodaway-----	20	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.01
362: Haig-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
363: Haig-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
364B: Grundy-----	90	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.07	Somewhat limited Restricted permeability Depth to saturated zone	0.94 0.03	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.50 0.07
424D: Lindley-----	60	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Keswick-----	30	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
424D2: Lindley-----	60	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
424E: Lindley-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
424E2: Lindley-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
425D: Keswick-----	85	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
425D2: Keswick-----	85	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
452D2: Lineville-----	85	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
453: Tuskeego-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
478G: Nordness-----	50	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94	Very limited Slope Depth to bedrock Restricted permeability	1.00 1.00 0.94
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
484: Lawson-----	95	Very limited		Somewhat limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
499D: Nordness-----	95	Flooding	1.00	Depth to saturated zone	0.19	Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
		Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Depth to bedrock	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
499F: Nordness-----	95	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Slope	1.00
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
520: Coppock-----	95	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
570C: Nira-----	90	Not limited		Not limited		Very limited Slope	1.00
570C2: Nira-----	90	Not limited		Not limited		Very limited Slope	1.00
571B: Hedrick-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
571C2: Hedrick-----	90	Not limited		Not limited		Very limited Slope	1.00
594C2: Galland-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.94
594D2: Galland-----	85	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
594E: Galland-----	85	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94
594E2: Galland-----	85	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94
730B: Nodaway-----	60	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.13
Cantril-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
731C2: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
732C2: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
732D2: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
764B: Grundy-----	95	Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Somewhat limited		Somewhat limited		Somewhat limited	
		Restricted	0.94	Restricted	0.94	Restricted	0.94
		permeability		permeability		permeability	
779: Kalona-----	90	Depth to	0.07	Depth to	0.03	Slope	0.50
		saturated zone		saturated zone		Depth to	0.07
						saturated zone	
		Very limited		Very limited		Very limited	
792D2: Armstrong-----	85	Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	0.15	Restricted	0.15	Restricted	0.15
		permeability		permeability		permeability	
795D2: Ashgrove-----	90	Somewhat limited		Somewhat limited		Very limited	
		Restricted	0.94	Restricted	0.94	Slope	1.00
		permeability		permeability		Restricted	0.94
		Slope	0.63	Slope	0.63	permeability	
831C2: Pershing-----	100	Depth to	0.39	Depth to	0.19	Depth to	0.39
		saturated zone		saturated zone		saturated zone	
						Gravel content	0.04
		Very limited		Very limited		Very limited	
832C2: Weller-----	100	Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Restricted	1.00	Restricted	1.00	Slope	1.00
		permeability		permeability		Restricted	1.00
831C2: Pershing-----	100	Slope	0.63	Slope	0.63	permeability	
		Somewhat limited		Somewhat limited		Very limited	
		Restricted	0.94	Restricted	0.94	Slope	1.00
832C2: Weller-----	100	permeability		permeability		Restricted	0.94
						permeability	
		Somewhat limited		Somewhat limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
876B: Ladoga-----	95	Restricted permeability	0.94	Restricted permeability	0.94	Slope	1.00
						Restricted permeability	0.94
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
876C2: Ladoga-----	100	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
880B: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
880C: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
880C2: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
880D2: Clinton-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
881B: Otley-----	95	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.50
881C2: Otley-----	100	Not limited		Not limited		Very limited Slope	1.00
977: Richwood-----	95	Not limited		Not limited		Not limited	
977B: Richwood-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
993D2: Gara-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Armstrong-----	30	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone Gravel content	0.39 0.04
1057: Rushville-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
1122: Sperry-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
1130: Belinda-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1131B: Pershing-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
1132B: Weller-----	100	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
1133: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
1180B: Keomah-----	95	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability	0.60	Somewhat limited Restricted permeability Slope	0.60 0.50
1279: Taintor-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
1280: Mahaska-----	90	Not limited		Not limited		Not limited	
1280B: Mahaska-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
1315: Klum-----	40	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.01
Perks-----	30	Very limited Flooding	1.00	Somewhat limited Too sandy	0.87	Very limited Flooding	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Henry County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too sandy	0.87	Flooding	0.40	Too sandy Slope	0.87 0.01
Nodaway-----	20	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.01
1362: Haig-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94
1779: Kalona-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
5010: Pits-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	